

# **National Osteoporosis Foundation and National Bone Health Alliance QCDR, Powered by Premier, Inc.**

## **2018 non-MIPS Measure Specifications**

**Last updated January 2, 2018**

**MEASURE TYPE:**

Outcome

**DESCRIPTION:**

Percentage of patients aged 65 and older with hip fracture as a principal diagnosis (excluding periprosthetic fracture discharges, obstetric discharges, and transfers to another hospital) who expired during the hospital stay

**REPORTING FREQUENCY:**

Every denominator eligible visit during the measurement period

**DENOMINATOR:**

Patients ages 65 and older who are discharged from the hospital with a principal diagnosis of a hip fracture

**Denominator Criteria (Eligible Cases):**

**Diagnosis of hip fracture (ICD10):** M84.353A, M84.359A, S72.019A, S72.023A, S72.026A, S72.033A, S72.036A, S72.043A, S72.046A, S72.099A, S72.109A, S72.143A, S72.146A, S72.23XA, S72.26XA, S72.009A, S72.90XA, S72.309A

**AND**

**Patient discharged from hospital for a principal diagnosis of a hip fracture on this encounter:** NOF\_6.DEN.1.YES

**AND NOT**

**DENOMINATOR EXCLUSIONS:**

**Any of the following during the inpatient stay for hip fracture:**

**1. Patient had a periprosthetic fracture, 2. Patient is transferring to another short-term hospital (DISP=2), 3. MDC 14 (pregnancy, childbirth, and puerperium), 4. Missing any of the following from the claim: discharge disposition (DISP=missing), gender (SEX=missing), age (AGE=missing), quarter (DQTR=missing), year (YEAR=missing) or principal diagnosis (DX1=missing):** NOF\_6.DEN.2.YES

**NUMERATOR:**

Patients who expired during the hospital stay (DISP=20)

**Numerator Instructions:**

**INVERSE MEASURE-** A lower calculated performance rate for this measure indicates better clinical care or control. The "Performance Not Met" numerator option for this measure is the representation of the better clinical quality or control. Reporting that numerator option will produce a performance rate that trends closer to 0%, as quality increases. For inverse measures, a rate of 100% means all of the denominator eligible patients did not receive the appropriate care or were not in proper control.

**Numerator Options:**

***Performance Met:***

The patient expired during the hospital stay  
**(NOF\_6.NUMER.1.YES)**

**OR**

***Performance Not Met:***

The patient did not expire during the hospital stay  
**(NOF\_6.NUMER.2.NO)**

**NOF7: Osteoporosis: percentage of patients, any age, with a diagnosis of osteoporosis who are either receiving both calcium & vitamin D intake, & exercise at least once within 12 months - National Quality Strategy Domain: Person and Caregiver-Centered Experience Outcomes**

**MEASURE TYPE:**

Process

**DESCRIPTION:**

Percentage of patients, regardless of age, with a diagnosis of osteoporosis who are either receiving both calcium and vitamin D or had documented counseling regarding both calcium and vitamin D intake, and exercise at least once within 12 months

**REPORTING FREQUENCY:**

Once per measurement period

**DENOMINATOR:**

Patients with a diagnosis of osteoporosis with an eligible encounter during the measurement period

**Denominator Criteria (Eligible Cases):**

**Diagnosis of osteoporosis (ICD10):** M80.00XA, M80.00XD, M80.00XG, M80.00XK, M80.00XP, M80.00XS, M80.011A, M80.011D, M80.011G, M80.011K, M80.011P, M80.011S, M80.012A, M80.012D, M80.012G, M80.012K, M80.012P, M80.012S, M80.019A, M80.019D, M80.019G, M80.019K, M80.019P, M80.019S, M80.021A, M80.021D, M80.021G, M80.021K, M80.021P, M80.021S, M80.022A, M80.022D, M80.022G, M80.022K, M80.022P, M80.022S, M80.029A, M80.029D, M80.029G, M80.029K, M80.029P, M80.029S, M80.031A, M80.031D, M80.031G, M80.031K, M80.031P, M80.031S, M80.032A, M80.032D, M80.032G, M80.032K, M80.032P, M80.032S, M80.039A, M80.039D, M80.039G, M80.039K, M80.039P, M80.039S, M80.041A, M80.041D, M80.041G, M80.041K, M80.041P, M80.041S, M80.042A, M80.042D, M80.042G, M80.042K, M80.042P, M80.042S, M80.049A, M80.049D, M80.049G, M80.049K, M80.049P, M80.049S, M80.051A, M80.051D, M80.051G, M80.051K, M80.051P, M80.051S, M80.052A, M80.052D, M80.052G, M80.052K, M80.052P, M80.052S, M80.059A, M80.059D, M80.059G, M80.059K, M80.059P, M80.059S, M80.061A, M80.061D, M80.061G, M80.061K, M80.061P, M80.061S, M80.062A, M80.062D, M80.062G, M80.062K, M80.062P, M80.062S, M80.069A, M80.069D, M80.069G, M80.069K, M80.069P, M80.069S, M80.071A, M80.071D, M80.071G, M80.071K, M80.071P, M80.071S, M80.072A, M80.072D, M80.072G, M80.072K, M80.072P, M80.072S, M80.079A, M80.079D, M80.079G, M80.079K, M80.079P, M80.079S, M80.08XA, M80.08XD, M80.08XG, M80.08XK, M80.08XP, M80.08XS, M80.80XA, M80.80XD, M80.80XG, M80.80XK, M80.80XP, M80.80XS, M80.811A, M80.811D, M80.811G, M80.811K, M80.811P, M80.811S, M80.812A, M80.812D, M80.812G, M80.812K, M80.812P, M80.812S, M80.819A, M80.819D, M80.819G, M80.819K, M80.819P, M80.819S, M80.821A, M80.821D, M80.821G, M80.821K, M80.821P, M80.821S, M80.822A, M80.822D, M80.822G, M80.822K, M80.822P, M80.822S, M80.829A, M80.829D, M80.829G, M80.829K, M80.829P, M80.829S, M80.831A, M80.831D, M80.831G, M80.831K, M80.831P, M80.831S, M80.832A, M80.832D, M80.832G, M80.832K, M80.832P, M80.832S, M80.839A, M80.839D, M80.839G, M80.839K, M80.839P, M80.839S, M80.841A, M80.841D, M80.841G, M80.841K, M80.841P, M80.841S, M80.842A, M80.842D, M80.842G, M80.842K, M80.842P, M80.842S, M80.849A, M80.849D, M80.849G, M80.849K, M80.849P, M80.849S, M80.851A, M80.851D, M80.851G, M80.851K, M80.851P, M80.851S, M80.852A, M80.852D, M80.852G, M80.852K, M80.852P, M80.852S, M80.859A, M80.859D, M80.859G, M80.859K, M80.859P, M80.859S, M80.861A, M80.861D, M80.861G, M80.861K, M80.861P, M80.861S, M80.862A, M80.862D, M80.862G, M80.862K, M80.862P, M80.862S, M80.869A, M80.869D, M80.869G, M80.869K, M80.869P, M80.869S, M80.871A, M80.871D, M80.871G, M80.871K, M80.871P, M80.871S, M80.872A, M80.872D, M80.872G, M80.872K, M80.872P, M80.872S, M80.879A, M80.879D, M80.879G, M80.879K, M80.879P, M80.879S, M80.88XA, M80.88XD, M80.88XG, M80.88XK, M80.88XP, M80.88XS, M81.0, M81.6, M81.8, M81.0, M81.6, M81.8

**AND**

**Patient encounter during the performance period (CPT):** 99201, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99217, 99218, 99219, 99220, 99224, 99225, 99226, 99221, 99222, 99223, 99231, 99232, 99233, 99234, 99235, 99236, 99238, 99239, 99214, 99242, 99243, 99244, 99245, 99251, 99252, 99253, 99254, 99255, 99281, 99282, 99283, 99284, 99285, 99288, 99291, 99292, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99315, 99316, 99318, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99339, 99340, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, 99354, 99355, 99356, 99357, 99358, 99359, 99415, 99416, 99360, 99363, 99364, 99366,

99367, 99367, 99374, 99375, 99377, 99378, 99379, 99380, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99406, 99407, 99408, 99408, 99415, 99416, 99429, 99441, 99442, 99443, 99444, 99446, 99447, 99448, 99449, 99450, 99455, 99456, 99490, 99487, 99489, 99495, 99496, 99497, 99498, 99499

**NUMERATOR:**

Patient either receiving both calcium and vitamin D or documented that the patient has been counseled regarding both calcium and vitamin D intake and exercise at least once during the measurement period

**Numerator Options:**

***Performance Met:***

Patient received both calcium and vitamin D or documentation exists that the patient has been counseled regarding calcium and vitamin D intake and exercise at least once during the measurement period **(NOF\_7.NUMER.1.YES)**

**OR**

***Denominator Exception:***

The patient did receive both calcium and vitamin D or documented that the patient has been counseled regarding calcium and vitamin D intake and exercise at least once during the measurement period, medical reason(s) documented (e.g., patient has dementia and is unable to receive counseling) **(NOF\_7.NUMER.2.YES)**

**OR**

***Performance Not Met:***

The patient did receive calcium and vitamin D or it was not documented that the patient has been counseled regarding calcium and vitamin D intake and exercise at least once during the measurement period, other reason(s) or no reason documented **(NOF\_7.NUMER.3.NO)**

**NOF12: Median Time to Pain Management for Long Bone Fracture.- National Quality Strategy Domain:  
Effective Clinical Care**

**MEASURE TYPE:**

Process

**DESCRIPTION:**

Median time from emergency department arrival to time of initial oral or parenteral pain medication administration for emergency department patients with a principal diagnosis of long bone fracture (LBF).

**REPORTING FREQUENCY:**

Each ED admission with diagnosis of long bone fracture (continuous scoring)

**DENOMINATOR:**

Patients admitted to the emergency department with a diagnosis of long bone fracture who were administered oral or parenteral pain medications.

**Denominator Criteria (Eligible Cases):**

**Diagnosis of long bone fracture (ICD10):** M84.439A, M84.459A, M84.453A, S32.10XA, S32.2XXA, S32.10XB, S32.2XXB, S12.9XXA, S22.009A, S32.009A, S32.10XA, S32.2XXA, S52.90XA, S52.539A, S52.609A, S52.509A, S52.609A, S52.119A, S52.529A, S52.019A, S52.629A, S52.011A, S52.012A, S52.111A, S52.112A, S52.521A, S52.522A, S52.621A, S52.622A, S52.90XB, S52.90XC, S52.539B, S52.539C, S52.509B, S52.509C, S52.609B, S52.609C, S72.019A, S72.023A, S72.026A, S72.033A, S72.036A, S72.043A, S72.046A, S72.099A, S72.019B, S72.019C, S72.023B, S72.023C, S72.026B, S72.027C, S72.033B, S72.033C, S72.036B, S72.036C, S72.043B, S72.043C, S72.046B, S72.046C, S72.099B, S72.099C, S72.109A, S72.143A, S72.146A, S72.23XA, S72.26XA, S72.109B, S72.109C, S72.143B, S72.143C, S72.146B, S72.146C, S72.23XB, S72.23XC, S72.26XB, S72.26XC, S72.009A, S72.009B, S72.009C

**AND**

**Emergency department admission with a principal diagnosis of long bone fracture (CONDITION):** NOF\_12.DEN.1.YES

**AND**

**Administration of initial oral or parenteral pain medication (CONDITION):** NOF\_12.NUMER.1.YES

**NUMERATOR:**

Time (in minutes) from emergency department arrival to time of initial oral or parenteral pain medication administration

**Numerator Instructions:**

**INVERSE MEASURE**

**NOF13: Osteoporosis: Management Following Fracture of Hip, Spine or Distal Radius for Men and Women Aged 50 Years and Older - National Quality Strategy Domain: Effective Clinical Care**

**MEASURE TYPE:**

Process

**DESCRIPTION:**

Percentage of patients aged 50 years and older with fracture of the hip, spine or distal radius that had a central DXA measurement ordered or performed or pharmacologic therapy prescribed

**REPORTING FREQUENCY:**

Every denominator eligible visit during the measurement period

**DENOMINATOR:**

Patients aged 50 years and older with a diagnosis of hip, spine, or distal radius fracture with an eligible encounter during the measurement period

**Denominator Criteria (Eligible Cases):**

**Diagnosis of hip, spine, or distal radius fracture (ICD10):** M84.431A, M84.432A, M84.433A, M84.434A, M84.439A, M84.451A, M84.452A, M84.453A, M84.454A, M84.459A, M84.48XA, S12.000A, S12.000B, S12.001A, S12.001B, S12.01XA, S12.01XB, S12.02XA, S12.02XB, S12.030A, S12.030B, S12.031A, S12.031B, S12.040A, S12.040B, S12.041A, S12.041B, S12.090A, S12.090B, S12.091A, S12.091B, S12.100A, S12.100B, S12.101A, S12.101B, S12.110A, S12.110B, S12.111A, S12.111B, S12.112A, S12.112B, S12.120A, S12.120B, S12.121A, S12.121B, S12.130A, S12.130B, S12.131A, S12.131B, S12.14XA, S12.14XB, S12.150A, S12.150B, S12.151A, S12.151B, S12.190A, S12.190B, S12.191A, S12.191B, S12.200A, S12.200B, S12.201A, S12.201B, S12.230A, S12.230B, S12.231A, S12.231B, S12.24XA, S12.24XB, S12.250A, S12.250B, S12.251A, S12.251B, S12.290A, S12.290B, S12.291A, S12.291B, S12.300A, S12.300B, S12.301A, S12.301B, S12.330A, S12.330B, S12.331A, S12.331B, S12.34XA, S12.34XB, S12.350A, S12.350B, S12.351A, S12.351B, S12.390A, S12.390B, S12.391A, S12.391B, S12.400A, S12.400B, S12.401A, S12.401B, S12.430A, S12.430B, S12.431A, S12.431B, S12.44XA, S12.44XB, S12.450A, S12.450B, S12.451A, S12.451B, S12.490A, S12.490B, S12.491A, S12.491B, S12.500A, S12.500B, S12.501A, S12.501B, S12.530A, S12.530B, S12.531A, S12.531B, S12.54XA, S12.54XB, S12.550A, S12.550B, S12.551A, S12.551B, S12.590A, S12.590B, S12.591A, S12.591B, S12.600A, S12.600B, S12.601A, S12.601B, S12.630A, S12.630B, S12.631A, S12.631B, S12.64XA, S12.64XB, S12.650A, S12.650B, S12.651A, S12.651B, S12.690A, S12.690B, S12.691A, S12.691B, S12.8XXA, S12.9XXA, S22.000A, S22.000B, S22.001A, S22.001B, S22.002A, S22.002B, S22.008A, S22.008B, S22.009A, S22.009B, S22.010A, S22.010B, S22.011A, S22.011B, S22.012A, S22.012B, S22.018A, S22.018B, S22.019A, S22.019B, S22.020A, S22.020B, S22.021A, S22.021B, S22.022A, S22.022B, S22.028A, S22.028B, S22.029A, S22.029B, S22.030A, S22.030B, S22.031A, S22.031B, S22.032A, S22.032B, S22.038A, S22.038B, S22.039A, S22.039B, S22.040A, S22.040B, S22.041A, S22.041B, S22.042A, S22.042B, S22.048A, S22.048B, S22.049A, S22.049B, S22.050A, S22.050B, S22.051A, S22.051B, S22.052A, S22.052B, S22.058A, S22.058B, S22.059A, S22.059B, S22.060A, S22.060B, S22.061A, S22.061B, S22.062A, S22.062B, S22.068A, S22.068B, S22.069A, S22.069B, S22.070A, S22.070B, S22.071A, S22.071B, S22.072A, S22.072B, S22.078A, S22.078B, S22.079A, S22.079B, S22.080A, S22.080B, S22.081A, S22.081B, S22.082A, S22.082B, S22.088A, S22.088B, S22.089A, S22.089B, S32.000A, S32.000B, S32.001A, S32.001B, S32.002A, S32.002B, S32.008A, S32.008B, S32.009A, S32.009B, S32.010A, S32.010B, S32.011A, S32.011B, S32.012A, S32.012B, S32.018A, S32.018B, S32.019A, S32.019B, S32.020A, S32.020B, S32.021A, S32.021B, S32.022A, S32.022B, S32.028A, S32.028B, S32.029A, S32.029B, S32.030A, S32.030B, S32.031A, S32.031B, S32.032A, S32.032B, S32.038A, S32.038B, S32.039A, S32.039B, S32.040A, S32.040B, S32.041A, S32.041B, S32.042A, S32.042B, S32.048A, S32.048B, S32.049A, S32.049B, S32.050A, S32.050B, S32.051A, S32.051B, S32.052A, S32.052B, S32.058A, S32.058B, S32.059A, S32.059B, S32.10XA, S32.10XB, S32.110A, S32.110B, S32.111A, S32.111B, S32.112A, S32.112B, S32.119A, S32.119B, S32.120A, S32.120B, S32.121A, S32.121B, S32.122A, S32.122B, S32.129A, S32.129B, S32.130A, S32.130B, S32.131A, S32.131B, S32.132A, S32.132B, S32.139A, S32.139B, S32.14XA, S32.14XB, S32.15XA, S32.15XB, S32.16XA, S32.16XB, S32.17XA, S32.17XB, S32.19XA, S32.19XB, S32.2XXA, S32.2XXB, S32.401A, S32.401B, S32.402A, S32.402B, S32.409A, S32.409B, S32.411A, S32.411B, S32.412A, S32.412B, S32.413A, S32.413B, S32.414A, S32.414B, S32.415A, S32.415B, S32.416A, S32.416B,

S32.421A, S32.421B, S32.422A, S32.422B, S32.423A, S32.423B, S32.424A, S32.424B, S32.425A, S32.425B, S32.426A, S32.426B, S32.431A, S32.431B, S32.432A, S32.432B, S32.433A, S32.433B, S32.434A, S32.434B, S32.435A, S32.435B, S32.436A, S32.436B, S32.441A, S32.441B, S32.442A, S32.442B, S32.443A, S32.443B, S32.444A, S32.444B, S32.445A, S32.445B, S32.446A, S32.446B, S32.451A, S32.451B, S32.452A, S32.452B, S32.453A, S32.453B, S32.454A, S32.454B, S32.455A, S32.455B, S32.456A, S32.456B, S32.461A, S32.461B, S32.462A, S32.462B, S32.463A, S32.463B, S32.464A, S32.464B, S32.465A, S32.465B, S32.466A, S32.466B, S32.471A, S32.471B, S32.472A, S32.472B, S32.473A, S32.473B, S32.474A, S32.474B, S32.475A, S32.475B, S32.476A, S32.476B, S32.481A, S32.481B, S32.482A, S32.482B, S32.483A, S32.483B, S32.484A, S32.484B, S32.485A, S32.485B, S32.486A, S32.486B, S32.491A, S32.491B, S32.492A, S32.492B, S32.499A, S32.499B, S52.501A, S52.501B, S52.501C, S52.502A, S52.502B, S52.502C, S52.509A, S52.509B, S52.509C, S52.511A, S52.511B, S52.511C, S52.512A, S52.512B, S52.512C, S52.513A, S52.513B, S52.513C, S52.514A, S52.514B, S52.514C, S52.515A, S52.515B, S52.515C, S52.516A, S52.516B, S52.516C, S52.521A, S52.522A, S52.529A, S52.531A, S52.531B, S52.531C, S52.532A, S52.532B, S52.532C, S52.539A, S52.539B, S52.539C, S52.541A, S52.541B, S52.541C, S52.542A, S52.542B, S52.542C, S52.549A, S52.549B, S52.549C, S52.551A, S52.551B, S52.551C, S52.552A, S52.552B, S52.552C, S52.559A, S52.559B, S52.559C, S52.561A, S52.561B, S52.561C, S52.562A, S52.562B, S52.562C, S52.569A, S52.569B, S52.569C, S52.571A, S52.571B, S52.571C, S52.572A, S52.572B, S52.572C, S52.579A, S52.579B, S52.579C, S52.591A, S52.591B, S52.591C, S52.592A, S52.592B, S52.592C, S52.599A, S52.599B, S52.599C, S52.609A, S52.609B, S52.609C, S52.621A, S52.622A, S52.90XA, S52.90XB, S52.90XC, S72.001A, S72.001B, S72.001C, S72.002A, S72.002B, S72.002C, S72.009A, S72.009B, S72.009C, S72.011A, S72.011B, S72.011C, S72.012A, S72.012B, S72.012C, S72.019A, S72.019B, S72.019C, S72.021A, S72.021B, S72.021C, S72.022A, S72.022B, S72.022C, S72.023A, S72.023B, S72.023C, S72.024A, S72.024B, S72.024C, S72.025A, S72.025B, S72.025C, S72.026A, S72.026B, S72.026C, S72.031A, S72.031B, S72.031C, S72.032A, S72.032B, S72.032C, S72.033A, S72.033B, S72.033C, S72.034A, S72.034B, S72.034C, S72.035A, S72.035B, S72.035C, S72.036A, S72.036B, S72.036C, S72.041A, S72.041B, S72.041C, S72.042A, S72.042B, S72.042C, S72.043A, S72.043B, S72.043C, S72.044A, S72.044B, S72.044C, S72.045A, S72.045B, S72.045C, S72.046A, S72.046B, S72.046C, S72.051A, S72.051B, S72.051C, S72.052A, S72.052B, S72.052C, S72.059A, S72.059B, S72.059C, S72.061A, S72.061B, S72.061C, S72.062A, S72.062B, S72.062C, S72.063A, S72.063B, S72.063C, S72.064A, S72.064B, S72.064C, S72.065A, S72.065B, S72.065C, S72.066A, S72.066B, S72.066C, S72.091A, S72.091B, S72.091C, S72.092A, S72.092B, S72.092C, S72.099A, S72.099B, S72.099C, S72.101A, S72.101B, S72.101C, S72.102A, S72.102B, S72.102C, S72.109A, S72.109B, S72.109C, S72.111A, S72.111B, S72.111C, S72.112A, S72.112B, S72.112C, S72.113A, S72.113B, S72.113C, S72.114A, S72.114B, S72.114C, S72.115A, S72.115B, S72.115C, S72.116A, S72.116B, S72.116C, S72.121A, S72.121B, S72.121C, S72.122A, S72.122B, S72.122C, S72.123A, S72.123B, S72.123C, S72.124A, S72.124B, S72.124C, S72.125A, S72.125B, S72.125C, S72.126A, S72.126B, S72.126C, S72.131A, S72.131B, S72.131C, S72.132A, S72.132B, S72.132C, S72.133A, S72.133B, S72.133C, S72.134A, S72.134B, S72.134C, S72.135A, S72.135B, S72.135C, S72.136A, S72.136B, S72.136C, S72.141A, S72.141B, S72.141C, S72.142A, S72.142B, S72.142C, S72.143A, S72.143B, S72.143C, S72.144A, S72.144B, S72.144C, S72.145A, S72.145B, S72.145C, S72.146A, S72.146B, S72.146C, S72.21XA, S72.21XB, S72.21XC, S72.22XA, S72.22XB, S72.22XC, S72.23XA, S72.23XB, S72.23XC, S72.24XA, S72.24XB, S72.24XC, S72.25XA, S72.25XB, S72.25XC, S72.26XA, S72.26XB, S72.26XC

**AND**

**Patient encounter during the performance period (CPT):** 22305, 22310, 22315, 22318, 22319, 22325, 22326, 22327, 25600, 25605, 25606, 25607, 25608, 25609, 27197, 27198, 27230, 27232, 27235, 27236, 27238, 27240, 27244, 27245, 27246, 27248, 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99238, 99239, G0402

**NUMERATOR:**

Patients that had a central dual-energy x-ray absorptiometry (DXA) measurement order or performed, or a pharmacological therapy for osteoporosis prescribed

**Numerator Options:**

***Performance Met:***

DXA measurement was ordered (**3096F**)

**OR**

***Performance Met:***

DXA measurement was performed and results documented (**3095F**)

**OR**

***Performance Met:***

Pharmacologic therapy (other than minerals/vitamins) prescribed (**G8633**)

OR

***Denominator Exception:***

Medical reason(s) documented for not ordering a DXA measurement **(3096F-1P)**

OR

***Denominator Exception:***

Medical reason(s) documented for not performing a DXA measurement **(3095F-1P)**

OR

***Denominator Exception:***

Patient reason(s) documented for not ordering a DXA measurement **(3096F-2P)**

OR

***Denominator Exception:***

Patient reason(s) documented for not performing a DXA measurement **(3095F-2P)**

OR

***Denominator Exception:***

System reason(s) documented for not ordering a DXA measurement **(3096F-3P)**

OR

***Denominator Exception:***

System reason(s) documented for not performing a DXA measurement **(3095F-3P)**

OR

***Denominator Exception:***

Clinician documented patient not an eligible candidate to receive pharmacologic therapy for osteoporosis **(G8634)**

OR

***Performance Not Met:***

Other reason(s) or reason not otherwise specified for not ordering a DXA measurement **(3096F-8P)**

OR

***Performance Not Met:***

Other reason(s) or reason not otherwise specified for not performing a DXA measurement **(3095F-8P)**

OR

***Performance Not Met:***

Other reason(s) or reason not otherwise specified for not prescribing pharmacologic therapy **(G8635)**



